

BAKULEV, A.N.; STEPANYAN, Yo.P.

Relation between transaminase and bacterial antihyaluronidase
in the blood serum in mitral stenosis of rheumatic origin,
Grud. khir. 2 no.1:15-20 Ja-F '60. (MIRA 15:3)

1. Iz Instituta grudnoy khirurgii (dir. - prof. A.A. Busalov,
'nauchnyy rukovoditel' - deystvitel'nyy chlen AMN SSSR akademik
A.N. Bakulev) AMN SSSR. Adres avtorov: Moskva, Leningkiy
prosp., d.8. Inst tut grudnoy khirurgii AMN SSSR.

(TRANSAMINASES)

(ANTIHYALURONIDASE)

(MITRAL VALVE—DISEASES)

STEPANYAN, Ye.P.; KOLESNIKOV, S.A.

Interrelation of heparin and tissue antihyaluronidase in the blood serum of patients with mitral stenosis of rheumatic etiology. Grud. khir. 2 no.1:37-43 Ja-F '60. (MIRA 15:3)

1. Iz Instituta grudnoy khirurgii AMN SSSR (dir. - prof. A.A. Busalov, nauchnyy rukovoditel' - akademik A.N. Bakulev). Adres avtora: Moskva, Leninskiy prosp., d.8, Institut grudnoy khirurgii AMN SSR.

(ANTIHYALURONIDASE)
(HEPARIN)
(MITRAL VALVE--DISEASES)

BEREZOV, Yu.Ye.; STEPANYAN, Ye.P.; IAPIN, M.D.

Postoperative thrombi and thromboembolism in patients with cancer
of the cardia and esophagus. Grud. khir. 2 no.6:91-99 N-D '60.

(MIRA 14:1)

1. Iz otdeleniya zabolevaniy pishchevoda (zav. - doktor meditsinskikh
nauk Yu.Ye.Berezov) i biokhimicheskoy laboratorii (zav. - doktor
biologicheskikh nauk Ye.P.Stepanyan) Instituta grudnoy khirurgii
(dir. - prof. S.A.Kolesnikov, nauchnyy rukovoditel' - akademik
A.N. Bakulev) AMN SSSR. Adres avtorov; Moskva, Leninskiy prospekt,
d. 8, Institut grudnoy khirurgii AMN SSSR.

(ALIMENTARY CANAL--CANCER)


(EMBOLISM)

(ANTICOAGULANTS (MEDICINE))

BAKULEV, A.N., akad.; STEPANYAN, Ye.P., doktor biolog.nauk;
MURATOVA, Kh.N., kand.med.nauk

Some biochemical changes in patients with chronic coronary insufficiency and myocardial infarct before and after bilateral ligation of the internal mammary arteries. Khirurgiia 36 no.10: 8-15 0 '60. (MIRA 13:11)

1. Iz Instituta grudnoy khirurgii (dir. - prof. S.A. Kolesnikov, nauchnyy rukovoditel' - akad. A.N. Bakulev) AMN SSSR.
(CORONARY HEART DISEASE) (BREAST-BLOOD SUPPLY) (BLOOD)



BAKULEV, A.F.; STEPANYAN, Ye P., doktor biol. nauk (Moskva)

Correlation between glutamine transaminase and antihyaluronidase
in the blood serum in mitral stenosis. Klin.med. 38 no.3:34-40
Mr.'60. (MIRA 16:7)
(GLUTAMINE TRANSAMINASE) (ANTIHYALURONIDASE)
(MITRAL VALVE--DISEASES)

ROZHENKO, A., OTSENYAN, Ye. P.

"Etat de la coagulabilite sanguine et de la fibrinolyse
dans le diagnostic de thromboses et d'hemorragies lors d'interventions
chirurgicales cardiaques"

Report submitted for the fourth Intl. Congress of Angiology
Prague, Czech, 3-9 Sep 61

STEPANYAN, Ye. P.; MOSKALENKO, Yu. D.; KOSORUKOVA, N. Ya.

Prevention of thromboembolic complications in lung cancer. Grud.
(MIRA 15:2)
khir. no.5:89-94 '61.

1. Iz biokhimicheskoy laboratorii (zav. - doktor biologicheskikh nauk Ye. P. Stepanyan) i otdeleniya zabolevaniy legkikh (zav. - doktor meditsinskikh nauk N. I. Gerasimenko) Instituta grudnoy khirurgii (dir. - prof. S. A. Kolesnikov, nauchnyy rukovoditel' - akad. A. N. Bakulev) AMN SSSR. Adres avtorov: Moskva, Leninskiy prosp., d. 8. Institut serdechno-sosudistoy khirurgii AMN SSSR.

(LUNGS—CANCER) (EMBOLISM)

STEPANYAN, Ye. P.; SMIRENSKAYA, Ye. M.

Changes in some components of blood coagulation in patients who have suffered massive hemorrhage of the terminal state. Grud. khir. 4 no.1:41-48 Ja-F '62. (MIRA 15:2)

1. Iz Instituta grudnoy khirurgii AMN SSSR (dir. - prof. S. A. Kolesnikov; nauchnyy rukovoditel' - akad. A. N. Bakulev) Adres avtorov: Moskva, Leninskiy prosp., d. 8. Institut serdechno-sosudistoy khirurgii AMN SSSR.

(BLOOD—COAGULATION) (HEMORRHAGE)
(DEATH, APPARENT)

KOLESNIKOV, S. A., prof.; (Moskva, pr. Mira, d. 103, kv. 155;
STEPANYAN, Ye. P., doktor biol. nauk

Some blood coagulation factors in mitral defects of the heart
of rheumatic etiology. Vest. khir. no.2:3-6 '62. (MIRA 15:2)

1. Iz Instituta grudnoy khirurgii AMN SSSR (dir. - prof. S. A.
Kolesnikov, nauchnyy rukovod. - akad. A. N. Bakulev)

(MITRAL VALVE—DISEASES) (BLOOD—COAGULATION)
(RHEUMATIC HEART DISEASE)

STEPANYAN, Ye. P., prof.; PRIVALENKO, M. N.; PETROSYAN, M. V.

Simultaneous determination of three streptococcal antibodies — antistreptokinase, bacterial antihyaluronidase and antistreptolysin-0 — in the blood serum in acquired heart defects. Khirurgiia no.2:13-18 '62. (MIRA 15:2)

1. Iz Instituta serdechno-sosudistoy khirurgii (dir. - prof. S. A. Kolesnikov, nauchnyy rukovoditel' - akad. A. N. Bakulev) AMN SSSR.

(RHEUMATIC HEART DISEASE) (ANTISTREPTOLYSINS)
(ANTIHYALURONIDASE) (ANTISTREPTOKINASE)

SMOL'NIKOV, V. P.; STEPANYAN, Ye. P.; KUPRIYANOV, S. S.; KRAMARENKO, L. Ye.

Inversion of the symptomatology in curarization. *Eksp. khir. i anest.* no.2:62-66 '62. (MIRA 15:6)

1. Iz laboratorii anesteziologii (zav. - kandidat meditsinskikh nauk V. P. Smol'nikov) i laboratorii biokhimii (zav. - doktor biologicheskikh nauk Ye. P. Stepanyan) Instituta grudnoy khirurgii (dir. - prof. S. A. Kolesnikov, nauchnyy rukovoditel' - akad. A. N. Bakulev) AMN SSSR.

(MUSCLE RELAXANTS)

KOLESNIKOV, S.A.; STEFANYAN, Ye.P.

State of blood coagulation and fibrinolysis in the diagnosis of
thrombosis and hemorrhages in surgical interventions on the heart.
Grud.khir. no.4:39-43 J1-Ag '62. (MIRA 15:10)

1. Iz Instituta serdechno-sosudistoy khirurgii (dir. - prof. S.A.
Kolesnikov, nauchnyy rukovoditel' - akad. A.N.Bakulev) AMN SSSR.
Adres avtorov: Moskva, B-49, Leninskiy prosp., d. 8. Institut
serdechno-sosudistoy khirurgii AMN SSSR.

(HEART-SURGERY)
(THROMBOSIS)
(HEMORRHAGE)
(FIBRINOLYSIS)
(BLOOD COAGULATION)

KOLESNIKOV, S. A., prof.; STEPANYAN, Ye. P.; SMIRENSKAYA, Ye. M.

Increased hemorrhagic diathesis after operations performed under artificial blood circulation. Probl. gemat. i perel. krovi no.8: (MIRA 15:7)
40-45 '62.

1. Iz laboratorii biokhimii (zav. - prof. Ye. P. Stepanyan),
klinicheskoy fiziologii (zav. - prof. A. G. Bukhtiyarov)
Instituta serdechno-sosudistoy khirurgii (dir. - prof. S. A.
Kolesnikov, nauchnyy rukovoditel' - akad. A. N. Bakulev)
AMN SSSR.

(HEMOPHILIA) (BLOOD—CIRCULATION, ARTIFICIAL)

STEPANYAN, Ye. P., prof.; MERKUR'YEVA, R.V.

Electrophoretic and chromatographic analysis of glycoproteins
in the blood serum of patients with defect of the mitral valve.
Terap. arkh. 34 no.10:84-89 0'62 (MIRA 17:4)

1. Iz biokhimicheskoy laboratorii (zav. - prof. Ye.P. Stepanyan) Instituta serdechno-sosudistoy khirurgii (dir. - prof. S.A. Kolesnikov) AMN SSSR; nauchnyy rukovoditel' - akademik A.N. Bakulev.

S/020/62/147/005/032/032
B144/B186

AUTHORS: Stepanyan, Ye. P., Merkur'yeva, R. V., Geselevich, Ye. L.
TITLE: Experimental study of metabolic acidosis in deep hypothermia
PERIODICAL: Akademiya nauk SSSR. Doklady, v. 147, no. 5, 1962, 1250-1252

TEXT: Since narcosis with hypothermia produces often metabolic acidosis, it was important to clear up the role of hypothermia in itself. This was done by determining in heart, brain, skeletal muscles and suprarenal glands of narcotized dogs (temperature in the mediastinum 10°C) the contents of lactic, pyruvic and ascorbinic acids, the glycolysis, the content of protein and its fractions, the blood viscosity, the electrolytes, the pH, and the blood sugar. The tests were conducted in 3 groups: blood circulation interrupted for 30 min (I); for 60 min (II); for 30 min followed by warming to 37°C (III). Results: (I) The lactic acid content dropped in heart and suprarenal glands and increased in brain and muscle. Glycolysis changed in the same sense with exception of the muscle. (II) Marked increase of lactic acid content and glycolysis in heart and brain. (III) Maxima of both levels in the brain. In the

Card 1/2

STEPANYAN, Ye.P., prof.; MERKUR'YEVA, R.V., mladshiy nauchnyy sotrudnik

Significance of determining glucoproteins, mucoproteins,
glucosamine and diphenylamine reagents in the blood serum
of patients with mitral heart defect. Kardiologiya 5 no.2:
43-48 '63 (MIRA 17:2)

1. Iz biokhimicheskoy laboratorii (zav. - prof. Ye.P.Stepanyan)
Instituta grudnoy khirurgii AMN SSSR (dir. - prof. S.A.
Kabanov, mladshiy rukovoditel' - akademik A.N.Bakulev).

CHIRKIN, Yel.: 0-11-7108, Yel.

Some biochemical changes in the blood during artificial blood circulation. Vest. AMN SSSR no. 2-41-46 '63.

(MIRA 17:7)

1. Institut serdechno-sosudistoy kairurgii AMN SSSR.

STEPANYAN, Ye. P.

AID Nr. 976-1 24 May

TISSUE RESPIRATION AND ADENOSINETRIPHOSPHATASE ACTIVITY IN
DOGS IN DEEP HYPOTHERMIA (USSR)

Stepanyan, Ye. P., R. V. Merkur'yeva, and Ye. L. Geselevich. Byulleten'
eksperimental'noy biologii i meditsiny, v. 55, no. 3, Mar 1963, 45-48.

S/219/63/055/003/001/001

A study was made on the effects of deep hypothermia on the tissue respiration and adenosinetriphosphatase activity in the brain, heart, adrenals, and skeletal muscles of mongrel dogs. Extracorporeal cooling to 10°C in the mediastinum and subsequent warming of the hypothermic animals by means of an apparatus filled with blood at 0°C and 37°C, respectively, was completed in 10 to 15 min. Three series of experiments were conducted. The blood circulation was arrested for 30 min in series (I) and for 60 min in series (II). In series (III) the animals were rewarmed to normal temperature after a 30-min circulatory arrest. Deep hypothermia caused marked changes in the tissue respiration, particularly in the brain tissue, manifested by diminished consumption of oxygen (17% of the normal) and reduced excretion of carbon dioxide (12.5% of the normal); profound disturbances in the decarboxylation

Card 1/2

AID Nr. 976-1 24 May

TISSUE RESPIRATION [Cont'd]

S/219/63/055/003/001/001

processes were noted. The activity of adenosinetriphosphatase in all tissues, particularly in the brain tissue, was reduced by deep cooling. Changes in tissue respiration were almost identical in series I and II. Enzyme activity in the cardiac and skeletal muscles was affected by the length of the circulatory arrest (it was more inhibited by the 60-min arrest in series II). The changes in the enzyme activity in the brain tissue were almost identical in series I and II. Rewarming of the hypothermic animals and incubation of the cooled tissues at 37°C increased the tissue respiration and adenosinetriphosphatase activity in all tissues. The data obtained show that changes induced by deep hypothermia are reversible.

[SGM]

Card 2/2

STEPANYAN, Ye.P.; BUKHARIN, V.A.; CHERNYAVSKAYA, M.A.

Investigation of catechol amines in various organs of dogs under conditions of deep hypothermia. Biul. eksp. biol. i med. 56 no.9: 56-61 S '63. (MIRA 17:10)

1. Iz biokhimicheskoy laboratorii (zav. - prof. Ye.P. Stepanyan) i otdeleniya vrozhdennykh ~~perokov~~ (zav. V.I. Burakovskiy) Instituta serdechno-sosudistoy khirurgii (dir. - prof. S.A. Kolesnikov, nauchnyy rukovoditel' - akademik A.I. Bakulev) AMN SSSR. Predstavlena deystvitel'nyy chlenom AMN SSSR A.I. Bakulevym.

1. The following information is being provided for your information:

1. The following information is being provided for your information:
1. The following information is being provided for your information:
1. The following information is being provided for your information:
1. The following information is being provided for your information:

1. The following information is being provided for your information:
1. The following information is being provided for your information:
1. The following information is being provided for your information:
1. The following information is being provided for your information:

~~L 8769-65~~ ~~ENG(j)/ENG(r)/EWI(1)/FS(v)-3/ENG(v)/ENG(a)/ENG(c)~~ ~~Pa-1~~ ~~AFFTC(B)~~

AMD DD

ACCESSION NR: AP4007549

S/0020/63/153/006/1458/1460

AUTHOR: Stepanyan, Ye. P.; Chernyavskaya, M. A.

TITLE: Ascorbic acid and catechol amines in experimental deep hypothermia

SOURCE: AN SSSR. Doklady*, v. 153, no. 6, 1963, 1458-1460

TOPIC TAGS: ascorbic acid, catechol amine , deep hypothermia, tissue ascorbic acid content, tissue catechol amine content, deep hypothermia effect, hypothermia, pyrocatechol. amine derivative , adrenaline, body temperature.

ABSTRACT: Despite considerable progress in deep hypothermia during surgery, the influence of hypothermia on metabolic processes has been but scantily studied and the data are contradictory. Since the functional state of the adrenal glands can be evaluated by the presence of ascorbic acid (AA) and catechol amines, experimental work in this direction was undertaken under the direction of Prof. S. A. Kolesnikov. Surgical work was done by V. I. Burakovskiy and V. A. Bukharin with G. A. Ryabov acting as anesthetist. Dogs used for the

Card 1/3

L 8769-65

ACCESSION NR: AP4007549

tests were cooled to +10C in the mediastinum by means of artificial blood circulation. The latter was stopped for various periods of time (30-60 min), whereupon the temperature was raised to 37C. It was found that after 30 min stoppage of blood circulation, AA content decreased in all tissues and increases in the blood. Most marked is its drop in the adrenal glands. After 60 min the drop is less pronounced, probably due to adaptation; in the adrenal glands the AA content increases to as high as 148.25 mg-% (normal 108.6 mg-%) and drops in the blood. With rising temperature the AA content increases above its initial levels. 15 min after stoppage of blood circulation, a decrease of AA and catechol amines in blood is observed. The assumption is made that AA somehow participates in the hormone synthesis of both cortical and medulla of the adrenal gland. Normalization of indices in the body after cooling shows the changes during deep hypothermia to be temporary, reversible processes. Orig. art. has: 2 figures.

ASSOCIATION: Institut serdechno-sosudistoy khirurgii Akad. Med. Nauk SSSR
(Institute of Cardiovascular Surgery of the USSR Academy of Medical Sciences)

Card 2/3

L 8769-65
ACCESSION NR: AP4007549

0

SUBMITTED: 11May63

ENCL: 00

SUB CODE: LS

NO REF SOV: 009

OTHER: 009

Card 3/3

STEPANYAN, Ye. P.; TAMARKINA, E.D.; POSPELOVA, Ye.P.

Significance of determining creatine phosphokinase for the
early diagnosis of myocardial infarct. Kardiologiya 4 no.4:
27-30. 11-Ag ' 64 (MIRA 1964)

1. Biokhimicheskaya laboratoriya (zav. - prof. Ye.P. Stepanyan)
i sosudistoye otdeleniye (zav. - prof. Yu. Ye. Berezov) In-
stitut serdechno-sosudistoy khirurgii (direktor - prof.
S.A. Kolesnikov; nauchnyy rukovoditel' - akademik A.N. Bakulev)
AMN SSSR, Moskva. Submitted August 15, 1963.

SPERIDON, Yi.Ye.; SPERIDON, Yi.Ye.; LAMIN, M.A.

Effect of the phagocytic processes and anticoagulation therapy
on the protein fractions of the blood serum in cancer of the
cardiac region of the stomach and esophagus. *Izv. Akad. Nauk. Med.*
4 no.5:44-52 '64. (MLPA 28:11)

1. Institute of Surgery Kharkovskii AMU USSR.

KOLESHNIKOV, S.A.; ABRAHAMIAN, V.P.; OLISHCHENKO, A.B.

Effect of artificial blood circulation during moderate hypothermia on the factors of the blood coagulation and anticoagulation systems in patients with acquired heart defects. Grud. Khir. 6 no. 6:16-20 M-B '64. (MIR 18:7)

1. Institut serdechno-sosudistoy khirurgii (direktor - prof. S.A. Kolesnikov; nauchnyy rukovoditel' - akademik A.N. Bakulev) ANU SSSR, Moskva. Adres piterov: Moskva V-49, Leninskiy pros. d. 8, Institut serdechno-sosudistoy khirurgii.

L 39433-65

ACCESSION NR: AP5007668

S/0020/65/160/006/1434/1436¹²

AUTHOR: Stepanyan, Ye. P.; Geselevich, Ye. L.; Pospelova, Ye. P.;
Bakulev, A. N. ^B

TITLE: Investigation of oxidative phosphorylation in heart muscle
under artificial blood circulation conditions

SOURCE: AN SSSR. Doklady, v. 160, no. 6, 1965, 1434-1436

TOPIC TAGS: dog, oxidative phosphorylation, heart, muscle,
heart stoppage, induced hypothermia, artificial blood circulation,
oxygen intake, adenosine triphosphate

ABSTRACT: Oxidative phosphorylation changes were investigated in
heart muscle of dogs after prolonged stoppage of the heart in two
experimental series. In both series, experimental animals were
anesthetized and stoppage of the heart and coronary perfusion of 60
min duration were conducted under artificial blood circulation. The
first series was staged under moderate hypothermic conditions with
heart stoppage induced by cold, and the second series was staged
under normal temperature conditions with heart stoppage induced

Card 1/3

L 39433-65

ACCESSION NR: AP5007668

electrically. Control animals in the first group were killed immediately after anesthesia, and control animals in the second group were killed after 1 hr of anesthetization combined with a thoracotomy and cannulation. Oxidative phosphorylation was determined in heart muscle tissue before and after incubation. Oxygen intake was measured by Warburg's manometric method. The incubation mixture consisted of a potassium-phosphate buffer 1/15 M, $MgCl_2$ 0.01 M, and succinate 0.04 M. The phosphate acceptor system consisted of adenosine triphosphate 0.01 M, glucose 0.01 M, and hexokinase 2 mg for an incubation mixture of 2 ml and a tissue suspension of 400 mg. Incubation time was 20 min. Oxygen intake, inorganic phosphorus level, and the phosphorus-oxygen ratio served as indices. Adenosine triphosphatase activity in the tissue and adenosine triphosphate in the blood were also determined. Findings show that oxidative phosphorylation in heart muscle, after prolonged stoppage of the heart and with artificial blood circulation, is reduced under conditions of moderate hypothermia and normal temperature. No correlation was found between decrease in oxygen intake and phosphorylation as observed in the control groups. Adenosine triphosphatase activity was also significantly reduced, with the reduction higher under

Card 2/3

L 39433-65

ACCESSION NR: AP5007668

conditions of moderate hypothermia than under normal temperature. Results indicate that despite coronary perfusion, prolonged stoppage of the heart with artificial blood circulation leads to significant changes of energy exchange processes in the heart muscle and this may contribute to malfunctioning of myocardium contraction. Orig. art. has: 2 figures.

ASSOCIATION: Institut serdechno-sosudistoy khirurgii Akademii meditsinskikh nauk SSSR (Institute of Cardiovascular Surgery of the Academy of Medical Sciences SSSR)

SUBMITTED: 05Jun64

ENCL: 00

SUB CODE: LS

NR REF SOV: 007

OTHER: 005

Card 3/3

STEFANYAN, Ye.P.; LYSENKO, V.B.; GRIGOR'YAN, D.G.

Study of carbohydrate components of mucopolysaccharides in the aorta wall in the process of atherosclerosis development. Dokl. AN SSSR 161 no.1:251-252 Mr '65.

(MIRA 18:3)

1. Institut serdechno-sosudistoy khirurgii AMN SSSR. Submitted June 9, 1964.

STEPANYAN, Ye.P.; BARKAN, I.N.

Polarographic study of the respiration and phosphorylation in mitochondria of the myocardium under the effect of ether narcosis and lystenone. Dokl. AN SSSR 165 no.2:457-460 N '65.
(MIRA 18:11)

1. Institut serdechno-sosudistoy khirurgii AMN SSSR. Submitted December 30, 1964.

DZAFALOV, G.M., kand. tekhn. nauk; EDENOV, Ye.I., kand. tekhn. nauk; STEPANYAN,
Ye.S., inzh.; AMIRJODIN, G.A., inzh.

Porous ceramic tiles for the drainage of saline soils. Gidr. i mel.
13 no.1:32-39 Ja '61. (MIRA 14:2)

1. Azerbaydzhanskiy mashino-isledovatel'skiy institut gidrotekhniki
i melioratsii.

(Azerbaijan--Draintiles)

STEPANYAN, Z.A.

"The Growing Role of People in the Social Development of Socialism."

Report presented at the 5th World Congress of Sociology, Washington,
D.C., 2-8 Sep 62.

STEPANYAN, Z.A.

"Transition of Underdeveloped Republics of the U.S.S.R. from
Feudalism to Capitalism."

Report presented at the 5th World Congress of Sociology, Washington,
D.C., 2-8 Sep 62.

STETANYAN-TALAKANOVA, A. M.

36936. Infektsionnyye Porazheniya Spinnogo Mozga i Obolochek Pri Ognestrel'nykh Travmaticheskikh Raneniyakh Pozvonochnika. 7 3B: Nevrologiya Voen Vremeni. T. II. M., 1949, c. 314-21.

SO: Letopis' Zhurnal'nykh Statey, Vol. 50, Moskva, 1949

STELIAN-TAN-TANAKANOVA, A.

36916. RELOUSOV, V., STELIAN-TAN-TANAKANOVA, A. i TA ALANOV, Ye. Opyt lecheniya prol-zhney i lan pantokrinom. V. sb: Nevrologiya voyen. Vremni. t. II. M., 1949, s. 326-28.

SO: Ictopis' Zhurnal'nykh Statey, Vol. 50, Moskva, 1949

STEPANYAN-TARAKANOVA, A. E.

STEPANYAN-TARAKANOVA, A. M. - "Traumatic Disorders of the Spinal Cord."
Sub 28 Nov 52, Acad Med Sci USSR. (Dissertation for the Degree
of Doctor in Medical Sciences).

SO: Vechernaya Moskva January-December 1952

STEPAN'YAN-PARAKANOVA, A. M.

"Consideration of the Problem of Nutrition at the Eight Session of the Academy of Medical Sciences USSR", Voprosy Pitaniya, Vol XIII, No 2, 1954, pp 57-59

Trans

M-124, 24 Jan 55

STEPANYAN-TARAKANOVA, A.M.

Eighth Scientific Session of the Institute of Nutrition of the
Academy of Medical Sciences of the U.S.S.R. Vop.pit. 13 no.3:52-63
My-Je '54. (MLRA 7:5)

(Nutrition)

STEPANYAN-TARAKANOVA, A.M., doktor meditsinskikh nauk

Recent progress in the field of nutrition. Vest. AMN SSSR no.3:
75-79 '55. (MLRA 8:11)

1. Iz instituta pitaniya (dir.--chlen-korrespondent AMN SSSR
prof. O.P.Molchanova) AMN SSSR
(NUTRITION,
in Russia)

USSR/Medicine - Nutrition

FD-3303

Card 1/1 Pub. 141 - 18/19

Author : (Reported by Stepanyan-Tarakanova, A. M.)

Title : IX Scientific session of the institute of nutrition, acad of medical sciences, USSR

Periodical : Vop. pit.^{14 no. 4}, 49-60, Jul/Aug 1955

Abstract : The above session was held from 28 January to 3 February 1955. Over 500 scientific workers from Moscow, Leningrad, Kiev, Minsk, the far east, and the various soviet republics attended. A representative of Korean medical science (Professor Tsoy Yn-Sek) was also present. Many papers were presented on various subjects of nutrition. Great emphasis was placed on studying the effect of qualitatively varying nutrition on the conditioned reflex activity of animals, on metabolism, and on the functional status of organs in the system. No references.

Institution :

Submitted :

STEPANYAN-TARAKANOVA, A.M.; TARAKANOV, Ye.I.; KARPMAN, V.L., redaktor;
BREZHNEVSKAYA, L.Ya., redaktor; YUSFINA, N.L., tekhnicheskiy
redaktor.

[Metabolism and nutrition] Obmen veshchestv i pitanie. Moskva,
Gos. izd-vo kni'zhenno-prosvetitel'noi lit-ry, 1956. 44 p. (Bi-
bliotekha v pomoshch' lektoru, no.6) (MIRA 9:6)
(METABOLISM) (NUTRITION)

STEPANYAN-TARAKANNOVA, A.M., doktor med.nauk

Current problems in nutrition; results of the tenth session of
the Institute of Nutrition of the Academy of Medicine of the
U.S.S.R. Vest.AMN SSSR 11 no.4:66-74 '56. (MIRA 12:10)
(NUTRITION)

MAKARYCHEV, A.I., TONGUR, V.S.; STEPANYAN-TARAKANOVA, A.M.; BRAKSH, T.A.;
CHUDINOVSKIKH, A.V.

Study of the physiological effect of low calory diets containing a
minimum amount of proteins and a normal amount of vitamins and salts.
Voppit. 15 no.4:18-22 J1-Ag '56. (MIRA 9:9)

1. Iz Instituta pitaniya AMN SSSR, Moskva.

(DIETS, exper.

minimal calories & normal content of salts & vitamins,
eff. on man under normal work load)

(VITAMINS, eff.

normal content in diets with minimal calories & normal
content of salts, eff. on man under normal work load)

(SALTS, eff.

normal content in diets with minimal calories & normal
content of vitamins, eff. on man under normal work load)

3121 14/77 - 1980/1981
STEPANYAN-TARAKANOVA, A.M., doktor meditsinskikh nauk

Measures for improving nutrition of the population of the Soviet
Union. Vest. AMN SSSR 12 no.3:79-86 '57. (MLRA 10:8)

1. Institut pitaniya AMN SSSR
(NUTRITION)

STEPANYAN-TARAKANOVA, A.M., doktor med.nauk, GOLUBEVA, L.Ya., kand.biol.nauk
ZIKUYEVA, V.K., (Moskva)

Role of the nervous system in the pathogenesis of various forms of
obesity and the changes produced by medical diet. [with summary
in English]. Probl.endok. i gorm. 4 no.4:52-64 J1-Ag '58
(MIRA 11:10)

1. Iz otdeleniya bolezney obmena veshchestv (zav. - prof.
M.N. Yegorov) kliniki lechebnogo pitaniya (zav. - prof. F.K. Men'shikov)
i laboratorii vysshay nervnoy deyatel'nosti (zav. - prof. A.I.
Makarychev) Instituta pitaniya AMN SSSR (dir. - chlen-korrespondent
AMN prof. O.P. Molchanova).

(OBESITY, etiol. & pathogen.

NS disord., speical diet ther. (Rus))

(NERVOUS SYSTEM, dis.

in obesity, speical diet. ther. (Rus))

(DIETS, in various dis.

obesity caused by NS disord. (Rus))

STEPANYAN-TARAKANOVA, A.M., doktor med.nauk

Further development of the nutrition problem in the U.S.S.R.
and the people's democracies. Vent.AMK SSSR 13 no.6:60-70 '58
(MIRA 11:7)

(NUTRITION

in Russia & satellites, review (Rus))

STEPANYAN-TARAKANOVA, A.M.(Moskva)

Neuro-endocrine forms of adiposis and the role of nutrition [with summary in English]. Vopr.pit. 17 no.1:32-38 Ja-Y '58. (MIRA 11:4)

1. Iz Instituta pitaniya AMN SSSR, Moskva.
 - (OBESITY, etiol. & pathogen.
brain & endocrine dis., dietetic ther. (Rus))
 - (DIETS, in var. dis.
obesity caused by brain & endocrine dis. (Rus))
 - (BRAIN, diseases,
causing obesity, dietetic ther. (Rus))
 - (ENDOCRINE DISEASES, complications
obesity, dietetic ther. (Rus))

STEPANYAN-TARAKANOVA, A.M.

Conference of the Institute of Nutrition of the Academy of Medical
Sciences of the U.S.S.R. devoted to the 40th anniversary of the
Great October Socialist Revolution. Vop.pit. 17 no.2:85-87 Mr-Apr '58.
(NUTRITION) (MIRA 11:4)

STEPANYAN-TAHAKANOVA, A.M.

Twelfth session of the Institute of Nutrition of the Academy of
Medical Sciences of the U.S.S.R. Vop.pit. 17 no.4:91-96 Je-Ag'58
(MIRA 11:7)

(NUTRITION)

STEPANYAN-TARAKANOVA, A.M., doktor med.nauk

Current problems in nutrition. Vest. AMN SSSR 14 no.9:85-94 '59.

(MIRA 13:1)

(NUTRITION)

STEPANYAN-TARAKANOVA, A.M.; GOLUBEVA, L.Ya.; ZIKEYEVA, V.K.; KURTSIN', O.Ya.
TIKHOMIROVA, A.N.; MASLENIKOVA, Ye.M.; SOROKIN, G.Ye.;
ZAKHARYCHEVA, A.A.

Effect of combined therapy on patients with the cerebroendocrine
form of obesity. Vop. pit. 18 no. 6:16-24 N-D '59. (MIRA 14:2)

1. Iz Instituta pitaniya AMN SSSR, Moskva.
(CORPULENCE) (GLUTAMATES) (CORTISONE)

SPITSYAN, A.; STEPAN'YANTS, A.

Electronic musical instrument. Radio no.3:44-47 Mr '63.

(Musical instruments, Electronic) (MIRA 16:2)

STEPANYANTS, A. K. Dr. Tech. Sci.

Dissertation: "Theory and Practice of Opening Petroleum Beds." Moscow Order of the Labor Red Banner Petroleum Inst., imeni Academician I. M. Gubkin, 17 Jun 47.

SO: Vechernyaya Moskva, Jun, 1947 (Project #17836)

SERDIY, A.G., redaktor; STEPANYANTS, A.K., professor, redaktor; TIKHO-
MIROV, A.A., kandidat ekonomicheskikh nauk, redaktor; VINOGRADOV,
V.N., redaktor; CHERNOZHUKOV, N.I., professor, redaktor; SHCHEL -
KACHEV, V.N., professor, redaktor; CHARYGIN, M.M., professor,
redaktor; DUNAYEV, F.F., professor, redaktor; KUZMAK, Ye.M.,
professor, redaktor; MURAV'YEV, I.M. professor, redaktor;
GUREVICH, V.M., redaktor; MURATOVA, V.M., redaktor, POLOSINA,
A.S., tekhnicheskii redaktor.

[Sixth scientific and technical conference, 1951] Shestaia
nauchno-tekhnicheskaya konferentsiya, 1951. Moskva, Gos.nauchno
tekhn.izd-vo neftianoi i gorno-toplivnoi lit-ry, 1952, 214 p.
(MLRA 8:10)

1. Moscow. Moskovskiy neftianoy institut. Nauchnoye studencheskoye
obshchestvo.
(Petroleum geology)

SERDIY, A.G., redaktor; TIKHOMIROV, A.A., kandidat ekonomicheskikh nauk, redaktor; STEPANYANTS, A.K., professor, redaktor; VINOGRADOV, V.N. redaktor; ~~CHERNIZHUKOV, N.I.~~, professor, redaktor; ~~SHCHELKACHEV~~ V.N., professor, redaktor; CHARYGIN, M.M. professor, redaktor; KUZ'IAK, Ye.M., professor, redaktor; MURAV'YEV, I.M. professor, redaktor; GUREVICH, V.M., redaktor; MURATOVA, V.M., redaktor; TROFI'MOV, A.V., tekhnicheskii redaktor.

[Seventh scientific and technical conference, 1952] Sed'maia nauchno-tekhnicheskaya konferentsiya, 1952. Moskva, Gos.nauchno tekhn.izd-vo neftianoi i gorno-toplivnoi lit-ry, 1953. 171 p. (MLRA 8:10)

1. Moscow. Moskovskiy neftianoy institut. Nauchnoye studencheskoye obshchestvo.
(Petroleum Geology)

ZHIGACH, K.F., professor, redaktor; STEPANYANTS, A.K., professor, redaktor; TIKHOMIROV, A.A., kandidat ekonomicheskikh nauk, redaktor; KARAPETYAN, R.O., kandidat filosoficheskikh nauk, redaktor; CHERNOZHUKOV, N.I., professor; YERSHOV, P.R., redaktor; GURVICH, V.M., redaktor; MURAV'YEV, I.M., professor, redaktor; SHCHELKA-CHEV, V.N., professor, redaktor; CHARYGIN, M.M., professor, redaktor; DUNAYEV, F.F., professor, redaktor; KUZMAK, Ye.M., professor, redaktor; POLOSINA, A.S., tekhnicheskiiy redaktor.

[Ninth scientific and technological conference of 1954] Deviataya nauchno-tekhnicheskaya konferentsiya 1954. g. Moskva, Gos. nauchno-tekhn. izd-vo neftianoi i gorno-toplivnoi lit-ry. 1955. 205 p. [Microfilm] (MLRA 8:9)

1. Moscow. Moskovskiy neftianoy institut. Nauchnoye studencheskoye obshchestvo.
(Geology) (Petroleum)

5(4)

AUTHORS

Utyanskaya E. Z. Stepanyants A. U. SOV/20-124 5-38/62
Vinnik M. I. Chirkov N. M.

TITLE:

The Calculation of the Function of Acidity and the Molecular Composition of Hydrofluoric Acid From the Data of the Nuclear Magnetic Resonance of F^{19} (Raschet funktsii kislotnosti i molekulyarnogo sostava plavikovoy kisloty po dannym yadernogo magnitnogo rezonansa F^{19})

PERIODICAL

Doklady Akademii nauk SSSR 1959. Vol 124. Nr 5 pp 1095-1098 (USSR)

ABSTRACT:

Hammett's function of acidity is measured by means of the indicator method and amounts to $\chi_c = \lg a_{H^+}(f_B/f_{BH^+})$. Here f_B and f_{BH^+} denote the coefficients of the activities of the ionized and not ionized forms of the indicator; a_{H^+} - the proton activity in the given medium. In the aqueous solutions of HF there are the following kinds of equilibrium: $HF \rightleftharpoons H^+ + F^-$ (2); $HF + F^- \rightleftharpoons HF_2^-$ (3); $K_1 = a_{H^+}a_{F^-}/a_{HF}$ (4); $K_2 = a_{HF_2^-}/a_{HF}a_{F^-}$ (5).

Card 1/3

The Calculation of the Function of Acidity and the Molecular Composition of Hydrofluoric Acid From the Data of the Nuclear Magnetic Resonance of F^{19} SOV/20-124-5-38/62

Here $K_1 = 6.89 \cdot 10^{-4}$ and $K_2 = 2.695$ denote the constants of equilibrium expressed in activities. From the dissociation equation (4) of hydrofluoric acid there follows:
 $-\lg a_{H^+} = -\lg K_1 - \lg (a_F / a_{HF})$. If the quantities K_1 , a_{HF} and m_F are known it is possible to calculate the acidity function H_{ac} . For the purpose of determining quantitative results concerning the composition and the acidity of concentrated aqueous solutions of HF the authors carried out measurements of the chemical shifts of the resonance of F^{19} in aqueous solutions of hydrofluoric acid of different concentrations. For the chemical shift to be observed and also for a system consisting of several interacting components expressions are written down. The chemical shift to be observed is of the order of magnitude $(5.95 \text{ to } 6.05) \cdot 10^{-4}$ for the various concentrations of hydrofluoric acid. In order, therefore to be able to determine the acidity function with an accuracy

Card 2/3

The Calculation of the Function of Acidity and the Molecular Composition of Hydrofluoric Acid From the Data of the Nuclear Magnetic Resonance of F^{19} SOV/10 124-5-39/62

of ± 0.05 , it is necessary to know the observable chemical shift with an accuracy of ± 0.01 to 10^{-4} . Measurements were carried out in a magnetic field of $2-3 \times 10^5$ oersteds. In the course of these measurements a saw-tooth modulation of the magnetic main field was used. The results obtained by measurements are shown by a table and by a diagram. At concentrations of up to 30 % the variations of the chemical shift are within the limits of measuring errors. The results obtained by calculating molecular composition and the acidity function are shown by tables and diagrams. There are 4 figures, 2 tables, and 9 references, 5 of which are Soviet.

ASSOCIATION: Institut khimicheskoy fiziki Akademii nauk SSSR (Institute of Chemical Physics of the Academy of Sciences, USSR)

PRESENTED: October 29, 1958, by V. N. Kondrat'yev, Academician

SUBMITTED: October 12, 1958

Card 3/3

9.6000 (1163 ONLY)

5.5800 (1043, 1273, 1282)

20700
S/120/61/000/001/038/062
EO32/E114

AUTHORS: Bystrov, V.F., Dekabrun, L.L., Kil'yanov, Yu.N.,
Stepanyants, A.U., and Utyanskaya, E. Z.

TITLE: A High-Resolution Nuclear Magnetic Resonance Apparatus

PERIODICAL: Pribery i tekhnika eksperimenta, 1961, No.1, pp.122-125

TEXT: The resolution of NMR spectrometers is determined by the following factors: (a) uniformity of the constant magnetic field over the volume of the specimen; (b) stability of the constant magnetic field in time; and (c) frequency stability of the radio-frequency magnetic field. In the NMR spectrometer described in the present paper a resolution of 10^{-7} was achieved, which means that all the above factors remain constant to within 1 in 10^7 . The apparatus has been used to record spectra of substances containing hydrogen and fluorene nuclei. Chemical shifts and the spin-spin interaction constant can be measured to an accuracy of better than 10%. The spectrometer incorporates a specially designed permanent magnet producing a field of 4530 oe. The magnet has the following features: (a) closed yoke, ensuring maximum rigidity; (b) fine and continuous adjustment of

Card 1/5
2

X
T

20700
S/120/61/000/001/038/062
EO32/E114

A High-Resolution Nuclear Magnetic Resonance Apparatus

the parallelism of the working surfaces of the pole-pieces;
(c) special coils are located on the poles and are used to
modulate and adjust the field; (d) the gap length is 3.2 cm and
the diameter of the working surface of the pole-pieces is 22 cm.
In order to achieve a highly uniform magnetic field the pole
pieces have a thickness of 6 cm and are specially annealed in a
hydrogen atmosphere. The working surfaces are plane to within
 $\pm 0.5 \mu$. The relative nonuniformity of the magnetic field in the
central region does not exceed 2×10^{-6} over a volume of 1 cm^3 .
Fig.2 shows the magnetic field chart in the central part of the
gap. The probe is illustrated in Fig.3. The substance under
investigation is placed in the thin-walled glass ampoule 3 which
is rotated at a rate of 10 000 rpm by a small air turbine. The
ampoule is held in position by the perspex rotor 2 of the
turbine. The lower end of the ampoule is centred by a teflon bush
6 and rests on the perspex plate 7. The body of the probe 5
is made from red copper. The coil is wound on the perspex former
4. The oscillator is quartz stabilized and works on the 3rd

Card 2/5

3

20700

S/120/61/000/001/038/062
E032/E114

A High-Resolution Nuclear Magnetic Resonance Apparatus

harmonic of the mechanical oscillations of the quartz resonator. Detailed circuits of the quartz oscillator and various amplifiers etc. are given. Fig.5 shows a typical spectrum obtained for ethyl alcohol. The volume of the specimen was 4 mm³ and the time taken to record the spectrum was 50 sec. In general, the volume of the specimen lies between 4 and 15 mm³. Acknowledgements are expressed to K.V. Vladimirovskiy for valuable advice. There are 5 figures and 8 references: 1 Soviet and 7 non-Soviet.

ASSOCIATION: Institut khimicheskoy fiziki AN SSSR
(Institute of Chemical Physics, AS USSR)

SUBMITTED: February 2, 1960

Card 3/8
3

AFANAS'YEV, V.A.; BYSTROV, V.F.; DEKABRUN, L.L.; KUL'YANOV, Yu.N.;
STEPANYANTS, A.U.

Multipurpose spectrometer of nuclear magnetic resonance.
Zav.lab. 28 no.1:102-103 '62. (MIRA 15:2)

1. Institut khimicheskoy fiziki AN SSSR.
(Spectrometer)

BYSTROV, V.F.; YAGUPOL'SKIY, L.M.; STEPANYANTS, A.U.; FIALKOV, Yu.A.

6 -Constants of substituents with a trifluoromethyl group.
Dokl. AN SSSR 153 no.6:1321-1324 D '63. (MIRA 17:1)

1. Institut khimicheskoy fiziki AN SSSR. Predstavleno akademi-
kom V.N. Kondrat'yevym.

YAGUPOL'SKIY, L.M.; BYSTROV, V.F.; STEPANYANTS, A.U.; FIALKOV, Y.A.

Effect of the substituents with a trifluoromethyl group on the
reactivity of aromatic compounds. Zhur. ob. khim. 34 no.11:
3682-3690 N '64 (MIRA 18:1)

1. Institut organicheskoy khimii AN UkrSSR i Institut khimi-
cheskoy fiziki AN SSSR.

BYSTROV, V.P.; SIDANYANTS, A.M.; MIRONOV, V.A.

Structure of chemical compounds studied by means of nuclear
magnetic resonance spectra. Part 4: Adducts of substituted
cyclopentadienes with maleic anhydride and their derivatives.
Zhur. ob khim. M. no. 12: 4039-4046 D '64 (MIRA 18:1)

1. Institut khimicheskoy fiziki AN SSSR i Institut organicheskoy
khimii AN SSSR.

BYSTROV, V.F.; NEYMYSHEVA, A.A.; STEPANYANTS, A.U.; KNONYANTS, I.L.,
akademik

Additive relations for chemical shifts in magnetic resonance
spectra on F nuclei of fluophosphates and fluophosphonates.
Dokl. AN SSSR 156 no. 3:637-640 '64. (MIRA 17:5)

1. Minstitut khimicheskoy fiziki AN SSSR i Voyennaya akademiya
khimicheskoy zashchity.

ORDA, V.V.; YAGUPOL'SKIY, L.M. [Iahupol's'kiy, L.M.]; BYSTROV, V.F.;
SILFANYANTS A.U.

Transmission of the induction effect of SCF_3 - SCCF_3 and
 SO_2CF_3 substituents through the methylene group. Dop. AN
UPER no.3:345-348 '65.

(MIRA 18:3)

1. Institut organicheskoy khimii AN SSSR.

BYSTROV, V.F.; STEPANYANTS, A.U.; MIRONOV, V.A.

Structure of chemical compounds as determined by nuclear magnetic resonance spectra. Part 17: Structure of some derivatives of bicyclo (2,2,1) heptane. Zhur.org.khim. 1 no.2:294-296 F '65.
(MIRA 18:4)

1. Institut organicheskoy fiziki AN SSSR i Institut khimicheskoy fiziki AN SSSR.

ORDA, V.V.; YANCOLOVSKIY, L.M.; BYSTROV, V.F.; STEPANYANTS, A.U.

Transmission of the induction effect of substituents SCF_3 , SOCF_3 ,
and SO_2CF_3 through a methylene group. Zhur. ob. khim. 35
no.9:1628-1636 S '65. (MIRA 18:10)

1. Institut organicheskoy khimii AN UkrSSR i Institut khimicheskoy
fiziki AN SSSR.

BRYSTROV, V.I.; KOSTYANOVSKIY, R.G.; PAN'SHIN, O.A.; STEPANYANTS, A.U.;
UZNAKOVA, O.A.

Three-membered rings. Part 1. Opt. i spektr. 19 no.2:
217-228 Ag '65. (MIRA 18:8)

STEPANYANTS, E.N.

Characteristics of the method for testing plows used without a moldboard. Sel'khoz mashina no. 4:19-20 Ap '56. (MLRA 9:7)

1. Severo-Kavkazskaya MIS.
(Plows)

STEPANYANTS, N.H., inzh.; VENCHENKOV, N.A., inzh.

Testing the PN-4-35, PPN-6-35, and P-5-35M plows. Trakt. 1 sel'-
khoz mash. no.1:26-28 Ja '59. (MIRA 12:1)
(Plows--Testing)

STEPANYANTS, G.

Results of drilling an extra-deep well. Nov.neft.tekh.:Bur.no.4:2
'48. (Oil well drilling) (MLRA 9:4)

STEPANYANTS, G.

Strengthening and cementing an extra-deep well. Nov.neft.tekh.:Bur.
no.4:2 '48. (Oil well drilling) (MLRA 9:4)

32105
S/535/61/000/139/007/009
E140/E435

13.2000 (1132)

AUTHOR: Stepan'yants, G.A., Engineer
TITLE: On the investigation of correlation of random quantities
SOURCE: Moscow. Aviatsionnyy institut. Trudy. no.139. 1961.
Voprosy avtomaticheskogo regulirovaniya
dvizhushchikhsya ob'yektov. 129-133

TEXT: Because of the difficulties of instrumenting the calculation of the correlation function the author introduces the concept of parity coefficient, which can be substituted for the correlation factor in many cases. The basic notion is that of the sign of deviation of random quantities from their mathematical expectation. This concept is represented by the coefficient ξ_{XY} , equal to the probability that the sign of the product $(x - x_{cp})(y - y_{cp})$ does not change and is given the + sign if the probability that the sign of this product is +1 is greater than 0.5. Thus

$$\xi_{XY} = P\{\text{sign}[(x - x_{cp})(y - y_{cp})] = +1\} - P\{\text{sign}[(x - x_{cp})(y - y_{cp})] = -1\} \quad (1)$$

Card 1/4

33195

S/535/61/000/139/007/009
E140/E435

On the investigation of ...

It can be shown that this is equivalent to

$$\xi_{XY} = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} \text{sign}[(x-x_{cp})(y-y_{cp})] f(x, y) dx dy.$$

(where x_{cp} = average). The basic properties of the parity coefficient ξ_{XY} are the following:

1. $|\xi_{XY}| \leq 1$.
2. If the quantities $(x-x_{cp})$ and $(y-y_{cp})$ are related by any odd functional dependence, $\xi_{XY} = +1$ if the curve $(y-y_{cp}) = f(x-x_{cp})$ passes through the I and III quadrants and $\xi_{XY} = -1$ if the curve passes through the II and IV quadrants.
3. If the quantities $(x-x_{cp})$ and $(y-y_{cp})$ are related by an even functional dependence, $\xi_{XY} = 0$.
4. If the quantities X and Y are not related by a single valued function, if $\xi_{XY} = +1$ all points with coordinates $(x-x_{cp})$; $(y-y_{cp})$ fall in quadrants I and III. If $\xi_{XY} = -1$, they fall in quadrants II and IV.

For independent X and Y the probability that a point with coordinate $(x-x_{cp})$; $(y-y_{cp})$ will appear in any given quadrant is identical, and therefore $\xi_{XY} = 0$ as in 3 above.

31125

S/535/61/000/139/007/009
E140/E435

On the investigation of ...

6. If $\rho_{XY} = 0$, the random quantities X and Y are uncorrelated and vice versa.

The parity coefficient and the correlation factor are related by a one-to-one relationship for a broad class of systems of random quantities. A simple interpretation of the parity coefficient is the probability that a point with coordinates $(x - x_{cp}); (y - y_{cp})$ will fall in quadrants I and III or II and IV. The parity coefficient can be easily extended to random processes. For a stationary ergodic process the parity function is the quantity

$$\xi_x(\tau) = \lim_{T \rightarrow \infty} \frac{1}{2T} \int_{-T}^T \text{sign}[X_0(t) X_0(t+\tau)] dt,$$

where $X_0(t) = X(t) - X_{cp}(t)$. The mutual parity function can also be defined

$$\xi_{xy}(\tau) = \lim_{T \rightarrow \infty} \frac{1}{2T} \int_{-T}^T \text{sign}[X_0(t) Y_0(t+\tau)] dt.$$

Card 3/4

On the investigation of ...

S/535/61/000/139/007/009
E140/E435

An instrument for calculating the parity coefficient is indicated in Fig.4. Here Φy is a phase shifter, $\Pi 3$ is a logical element and the final block is an integrator. There are 4 figures and 2 Soviet-bloc references.




Fig.4.

Card 4/4

STEFANYANTS, I. G.

Raschet laminarnogo poqranchnogo sloya na telakh vrashcheniya. Prikl. matem. i mekh.,
6 (1942), 317-326.

SO: Mathematics in the USSR, 1917-1947
edited by Kurosh, A.G.,
Markushevich, I.I.,
Rashevskiy, P.K.
Moscow-Leningrad, 1948

10(3,4) PHASE I BOOK EXPLOITATION SOV/3193
Leningrad. Politehnicheskii Institut imeni M.I. Kalinina
Prudy, no. 198] Tekhnicheskaya gidromekhanika (Industrial Hydro-
mechanics) Moscow, Mashgiz, 1950. 220 p. Errata slip inserted.
1,500 copies printed.

Resp. Ed.: V.S. Saimov, Doctor of Technical Sciences, Professor;
Ed. of this book: L.G. Lopyrevskiy, Doctor of Physical and
Mathematical Sciences, Professor; Assistant Ed. for literature
on the Design and Operation of Machinery Leningrad Division,
Mashgiz: P.I. Petlov, Engineer; Tech. Ed.: R.G. Pot'skaya.

PURPOSE: This book is intended for engineers working in the field
of machine construction.

CONTENTS: This collection of articles contains the results of
original work in the field of theoretical and applied hydroaero-
dynamics, completed in the aerodynamics laboratory of the LPI
(Leningrad Polytechnic Institute) by members of the department
of hydroaerodynamics and the department of theoretical mechanics.
The book is divided into four parts. The first part contains
studies of turbine steam-exhausts. The first article gives the
results of a laboratory study on model-experiments on a test-
stand and the general conclusions drawn therefrom. The second
part contains articles on the theory of laminar and turbulent
motion of a viscous fluid. The articles treat the hydrodynamic
theory of friction in bearings and suspensions, boundary layers
and jets, the initial part of a pipe in the presence of vortex,
and the motion of air under the action of a corona conductor.
The articles in the third part belong to the field of applied
hydrodynamics. One of the articles is devoted to the experi-
mental study of flow around the hull of a motor-boat. The
second article contains the results of aerodynamic analyses of
a ship's hull. The third article contains the results of aerodynamic
analyses of a ship's hull. The fourth part of the book contains the results
of laboratory experiments on establishing new methods of aero-
dynamical measurements (friction forces on the surface of a
streamlined body, pressure distributions in nonstationary flows).
References accompany individual articles.

IVANKO, E.P. Removal of Mechanical Losses in the Bearings of
Hydroturbine Motors. 79
1. Friction losses 79
2. Determining mechanical losses by the check-out method 80
3. Determining mechanical losses by means of motor-
weights (brakes) 80
4. Construction of gear assemblies 81
5. Experimental analyses 81
6. Conclusions 85

PART TWO. HYDRODYNAMICAL PROCESSES IN CHANNELS, BOUNDARY LAYER AND JETS

Lopyrevskiy, L.G., and L.G. Stepanyants. Hydrodynamical Theory

of a Spherical Suspension. 89
1. Stating the problem on a spherical suspension. 89
2. Application of the method of expansion according
to the parameter 91

3. Suspension with one source 92
4. Computing the effect of the compressibility of a gas
on the operation of a suspension 97

Stepanyants, L.G. Calculating the Inertial Terms in the
Hydrodynamical Theory of Lubrication

1. Stating the problem 96
2. Application of the method of expansion according
to the parameter 99
3. Determination of the unknown functions of the first
approximation 100
4. Determination of the constants of integration 101
5. Some results 103
105

LOYTSYANSKIY, L.G.; STEPANYANTS, L.G.

Hydrodynamic theory of a suspended sphere. Trudy LPI no.198:89-98
'58. (MIRA 12:12)

(Lubrication and lubricants)
(Hydrodynamics)

STEPANYANTS, L.G.

Determining inertia terms in the hydrodynamic theory of lubrication.
Trudy LPI no.198:99-106 '58. (MIRA 12:12)
(Lubrication and lubricants) (Hydrodynamics)

S/563/61/000/217/008/012
D234/D308

14400
AUTHOR: Stepanyants, L. G.
TITLE: Slow motion of a liquid near a deformed surface
SOURCE: Leningrad. Politekhnicheskiy institut. Trudy.
no. 217. 1961. Tekhnicheskaya gidromekhanika,
117-126

TEXT: The author considers the problem of forces which the liquid exerts on a plane surface having a deformation in the shape of semi-cylindrical projection or depression (the problem is of interest in hydrodynamical theory of lubrication). The assumptions are: (1) The liquid or gaseous medium is incompressible, and its motion is laminar and isothermal; (2) the characteristic Reynolds number is so small that inertial terms in the Navier-Stokes equations can be neglected; (3) the height of the projection is so small that the distribution of longitudinal velocities

✓B

Card 1/2

Slow motion of a....

S/563/61/000/217/008/012
D234/D308

in the medium can be assumed to obey a linear law at sufficiently large distances from the point of deformation. Bipolar coordinates are used. The solution of the basic equation is obtained in terms of hyperbolic functions. Formulas for the forces acting on the deformed part of the surface are derived. The total additional force of resistance for the deformed part is found to be the same for both the case of projection and depression. There are 4 figures. v.B

Card 2/2

S/563/61/000/217/010/012
D234/D308

AUTHORS: Dushin, N. V., and Stepanyants, L. G.
TITLE: Hydrodynamical design of a cylindrical suspension
SOURCE: Leningrad. Politekhnikheskiy institut. Trudy.
no. 217. 1961. Tekhnicheskaya gidromekhanika,
133-139

TEXT: The authors describe a method of design based on replacing the holes used for introducing the liquid or gas into the gap between the floating element and the casing by a system of point sources with given flow rates. A suspension with cylindrical floating element of finite length and a corresponding cylindrical casing is analyzed; it is assumed that the axis of the floating element remains parallel to the axis of the casing. There is 1 figure. ✓

Card 1/1

L 63052-55 ENT(d)/ENT(m)/EFF(c)/T Pr-4 IJP(c) DJ
 ACCESSION NR: AT5015704 UR/2563/65/000/248/0027/0034

AUTHOR: Stepanyants, L. G.; Zablotskiy, N. D.

TITLE: Some possible simplifications in the Reynolds equation for gas blanket lubrication

SOURCE: Leningrad, Politekhicheskiy institut. Trudy, no. 248, 1965. Tekhnicheskaya gidrogazodinamika (Technical gas hydrodynamics), 27-34

TOPIC TAGS: gas blanket lubrication, calculation program, flat bearing, Reynolds equation

ABSTRACT: The authors analyze the previously known accurate solution to the stated Reynolds equation, substitute a new variable $S=ph$ to obtain the expression

$$hS \frac{dS}{dx} = \alpha S^2 + \beta S + C_1. \quad \text{after a first}$$

integration of the Reynolds equation (expressed in dimensionless magnitudes), and illustrate several attempts to linearize this expression. They first modify it by substituting a new function $\psi = S^2$ to obtain

$$h \frac{d\psi}{dx} = 2\alpha\psi + 2\beta\sqrt{\psi} + 2C_1.$$

Card 1/2

L 63058-65

ACCESSION NR: AT5015704

rewrite the latter expression to include the function $f(x)$, related non-linearly to x , and approximate that function for the range $1 \leq \varphi \leq (1+\alpha)^2$ by the linear dependence

$$f(\psi) \approx a_1 \psi + a_2$$

Verification indicates that the suggested calculation program provides acceptable results at high or low H numbers. Its accuracy depends only on the value of α (inclination of the fixed plate in the stated model), the error increasing with an increase in α . Orig. art. has: 4 figures and 28 formulas.

ASSOCIATION: Leningradskiy politekhnicheskyy institut imeni M. I. Kalinina (Leningrad Polytechnic Institute)

SUBMITTED: 00

ENCL: 00

SUB CODE: ME, MA

NO REF SOV: 001

OTHER: 001

Card

2/2

L 63070-65 EPF(c)/EPF(n)-2/EWT(1)/EWG(m) Pr-L/PS-L/Pu-L WW
 ACCESSION NR: AT5015712 UR/2563/65/000/248/0088/0092

37
B+1

AUTHOR: Stepanyants, L. G.

TITLE: Calculation of profile drag at high gas velocities and in the presence of heat transfer

SOURCE: Leningrad. Politeknicheskii institut. Trudy, no. 248, 1965. Tekhnicheskaya gidrogazodinamika (Technical gas hydrodynamics), 88-92

TOPIC TAGS: profile drag, high velocity gas, heat transfer, Squire Young approach

ABSTRACT: The author generalized the general drag force formula of Squire and Young to escape in some measure its limitations in calculating profile drag (i.e. very low M of the onrushing flow). He obtained the formula

$$C_{xp} = 2 \frac{\delta_{**}}{b} \frac{p_{ek}}{p_{\infty}} \left(\frac{U_{\infty}}{U_{ek}} \right)^{\frac{5+H_k}{2} + \frac{k-1}{2} M_{\infty}^2 + \frac{\bar{Q}_w}{C_{xp}}}$$

to express profile drag in a gas flow involving heat transfer. Here, the magnitudes P_{ek} and U_k are assigned (P_e and U are density and velocity of gas at the outside edge of the boundary layer), while δ_{**} , H_k and \bar{Q}_w are calculated from data obtained for the

Card 1/2

L 63070-65

ACCESSION NR: AT5015712

boundary layer on the surface of the profile (H_k is the ratio of displacement depth δ^* to momentum loss depth δ^{**} at the profile's trailing edge;

$$\bar{Q}_w = \frac{Q_w}{c_{p, \infty} U_{\infty} T_{\infty} b}$$

where Q_w is total transferred heat, while ρ_{∞} , U_{∞} and T_{∞} are density, velocity and temperature in the wake; b is the profile chord and c_p is the heat capacity of the gas at constant pressure). The profile drag factor C_{xp} can be calculated from the first formula above by successive approximation. Orig. art. has: 27 formulas.

ASSOCIATION: Leningradskiy politekhnicheskoy institut imeni M. I. Kalinina (Leningrad Polytechnic Institute)

SUBMITTED: 00

ENCL: 00

SUB CODE: ME, PR

NO REF SOV: 001

OTHER: 000

Card ^{KC} 2/2

OTERAKIAN, L.F.

Notes on the history of some insects in the avifauna of the arid
zone of the Palearctic. Nauch. dokl. vyssh. shkoly; biol. nauki no. 4:39-
42 '65. (MIRA 18:10)

1. Rekomendovana i otdel'noy zoologii i darvinizma Moskovskogo
gosudarstvennogo pedagogicheskogo instituta im. V.I. Lenina.

ACC NO: AT0020553 (71) SOURCE CODE: UR/2776/66/000/046/0176/0105

AUTHORS: Ivanov, A. G.; Stepanyants, M. I.

ORG: none

TITLE: Development and investigation of heat-resistant steels alloyed with cobalt

SOURCE: Moscow. Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii. Sbornik trudov, no. 46, 1966. Spetsial'nyye stali i splavy (Special steels and alloys), 176-185

TOPIC TAGS: alloy steel, high speed steel, steel, cobalt steel / R9K25 steel, R9K30 steel

ABSTRACT: The effect of repeated quenchings and addition of cobalt, chromium, vanadium, and tungsten to steels R9K25 and R9K30 on the heat-resistance and mechanical properties of the latter was investigated. A total of six specimens was investigated. The chemical composition of the specimens is tabulated, and the experimental results are presented in graphs and tables (see Fig. 1). It was found that repeated annealing of the specimens at 600C for a period of one hour increased their hardness from 35 to 67--70 HRC. The impact viscosity and workability of the steels may be further improved by additional annealing at 750C for 2 hours, followed by quenching in water. The secondary and hot hardnesses of steels containing 9% and 18% W,

Card 1/2

L 00954-67

ACC NR: AT6026558




Fig. 1. Effect of the number of annealings on the hardness of quenched steel as a function of: a - concentration of cobalt for annealing at 550°C; 1 - smelting temperature 2643°C; 2 - 2645°C; 3 - 2646°C; 4 - 2647°C; and b - concentration of chromium for annealing at 600°C; 1 - smelting temperature 2648°C; 2 - 2641°C; 3 - 2649°C; 4 - 2647°C.

respectively, were found to be practically identical. Orig. art. has: 4 tables and 7 graphs.

SUB CODE: 11/ SUBM DATE: none

Card 2, 1

138-1-3/18

AUTHORS: Troyanker, S. U. and Stepanyants, N. S.
TITLE: A New Method of Making Pressure Sleeves. (Novyy
sposob izgotovleniya napornykh rukavov).
PERIODICAL: Kauchuk i Rezina, 1969, Nr. 1. pp. 30 - 31. (USSR).

ABSTRACT: The big consumption of fabric and binding presents certain drawbacks in present day methods of manufacture; further disadvantages are the flaws in the sleeves due to faulty seams, indentations etc. In the new method of making pressure sleeves the sprayed chamber is lubricated internally with a solution of soap or glycerine, and subjected to pre-curing for ten minutes in a vessel or a continuous vulcanisator and placed on the cylinder. The surface of the chamber is covered with glue to increase adhesion. The chamber is then pre-cured to form a protective rubber layer. The second method of making these sleeves only varies in the chamber not being pre-cured before lubrication. Advantages of the new method comprise a 100% increase in output, in a saving of binding fabric, improvement of the quality of the sleeves as no flaws, notches etc. occur, and elimination of powdery material (talcum). Pressure sleeves up to lengths of 2.5 m were made by this new

Card 1/2

138-1-9/16

A New Method of Making Pressure Sleeves.

method, and it was shown that: (1) the protective rubber layer can be substituted with rubber chambers of not less than 1 mm, having an internal diameter not exceeding 40 mm, (2) the spray chambers have to be protected on the moulds to prevent deformation and unequal expansion, (3) talcum can be used on the inner surface of the chamber and chalk, zinc stearate, or lithopone. The pre-curing of the sprayed chamber is carried out by introducing steam into the vessel during ten - fifteen minutes up to a pressure of 3 atms. The mixture 3408-1a is vulcanised at a pressure of 3 atms for five minutes, mixtures 4691-27 for ten minutes. Steam is discharged until a pressure of 0 atms is reached (for ten - fifteen minutes). It is recommended to use for these chambers 4691-1a (based on "Mirit") and glue 4-H and 109 in a concentration of 1:4 to 1:6. The protective rubber layer is deposited with the aid of air which has been heated under pressure.

Card 2/2

ASSOCIATION: Moscow Plant "Rubber". (Moskovskiy zavod "Kauchuk").

AVAILABLE: Library of Congress.

STEFANYANTS, S.A., inzh.; ISHCHUK, Yu L., inzh.

New consistent lubricant for conveyor bridges; "OM" lubricant VTU
TSPZ-5 No. 01-60. Nauch.zap.Okoniiproekta no.4:173-174 '61.
(MIRA 15:1)

(Lubrication and lubricants)

ISHCHUK, Yu.L.; STEPANYANTS, S.A.; ISHCHUK, L.P.

Lubricating grease for conveying and dumping bridges (the
lubricant "OM" VTU TSMZ-5 No.01-60). Trudy BONMZ no.1:50-53
'63. (MIRA 16:6)

(Lubrication and lubricants)